



GLOBAL BEAUTY CARE SOLUTION DERMAKOR COSMETICS AND MEDICAL COMPANY

DERMAKOR Contents

GLOBAL BEAUTY CARE SOLUTION DERMAKOR

COMPANY	Dermal Fillers	Skin&Hair Boosters	Fat dissolvers	COMPANY	DERMAKOR
INTRODUCTION VISION	<u>HA Filler</u> MIXO	Sappire PDRN Sappire S-TOX	Sappire SLIM	CEO	SOO YONG KIM
CEO PARTNERSHIP	Ajoure Zentia	Sappire HAIR RICH Sappire AQUA DROP		BUSINESS TYPE	Manufacture&Wholesale
	Sensfill Daarin			BUSINESS SCOPE	Medical Devices (Dermal Acupuncture Needles etc
	<u>PLLA Filler</u> Polyboost				Drug export license (Toxi Cosmetics (Professional
	FILLICIA				Fat Dissolvers etc.) Medical Equipment (Lase
					OEM/ODM Assistance
<u>Mesothreads</u>	Disposables	<u>Acupuncture Needle</u>	Numbing Cream	FOUNDATION	2018.06.05
Sappire LIFT Harmony	DK Filler Cannula DK Ultra Thin Mesoneedle	BADIM	TOPTEN	LOCATION	Office: Office 1102, SEA Incheon, Republic
				WEBSITE	http://www.dermakor.co

nal Filler, Mesothreads, Filler Cannula, Mesoneedles, etc.)

oxins, Vitamin Injection, Numbing Cream etc.)

al Aesthetic Cosmetic products, Skin Boosters,

```
aser, HIFU etc.)
```

EAWORK Tower C, 313 Central-ro, Yeonsu-gu, lic of Korea

.com

GLOBAL BEAUTY CARE SOLUTION **DERMAKOR**





MISSION

We continue to research, develop and design new products in the medical device and aesthetic industries.

12	2
h	
	11
AX	F

VISION

To help aesteticians around the world create, maintain and emphasize the beauty and personality of everyone.



Customer Promise

Honest and faithful partnership. Safety and effective products at affordable prices. I would like to express my deep gratitude to our customers for their trust and love in DERMAKOR. We started the aesthetic field in 2010 and founded DERMAKOR in 2018.

We started the aesthetic field in 2010 and founded DERMAKOR in 2018. In response to the needs of existing customers, the company will continue to expand its business to include aesthetic and specialized medical devices.

We are creating a portfolio of "total aesthetic solutions" to maximize synergy. DERMAKOR continues to make endless efforts to develop new value-added BEAUTY CARE products through continuous R&D investment. DERMAKOR further strengthen our partnership based on the superior quality of products and customer confidence to develop into a "Global Beauty Care Company". We are looking forward to your continued interest and support. Thank you.

> Kind regards, Soo Yong KIM CEO of DERMAKOR

GREETINGS FROM CEO

GLOBAL BEAUTY CARE SOLUTION DERMAKOR

PARTNERSHIP VISION



Our company successfully cooperate with top Korea manufacturers of Medical Devices and Aesthetics Products.

We provide unique and safe products to our customer worldwide.

We continuously add new and effective brands to our portfolio.

We test, research and upgrade products to provide our distributors only with the best one.



Clients all over the world

Russia | Kazakhstan | US | Iraq | Ukraine | Azerbaijan | UK | Indonesia | Iran | Brazil | Portugal | Georgia | Japan | Uzbekistan | Indonesia





Sterile Absorbable Hyaluronic Acid Dermal Filler

MIXO

LIGHT | VOLUME | DEEP



LIGHT PLUS | VOLUME PLUS | DEEP PLUS (with lidocaine 3mg/ml)



Hyaluronic Acid Dermal Filler | 20mg/ml, 1.0ml

MI means Beauty from Korean Hanja and XO is from eXtraOrdinary. MIXO is premium monophasic hyaluronic acid filler for beautiful and unique people who want to emphasize their natural beauty and individuality.


What is Hyaluronic Acid(HA) Filler? Safety, biodegradable and biocompatible material. HA has a much greater capacity to retain water than any other natural or synthetic polymer. Hydrates, regenerates skin, improves elastin and collagen production. Reduces the appearance of fine wrinkles and returns lost contours of the face. Can be removed easily and perfectly.

MIXO

BE BEAUTIFUL BE EXTRAORDINARY BE MIXO



DISPOSABLE MEDICAL DEVICE





FINE DEEP SUB-Q AJOURE FINE with Lidocaine is used to treat fine wrinkles.AJOURE DEEP with Lidocaine is used to treat medium to deep sized wrinkles.AJOURE SUB-Q with Lidocaine is used to treat deep sized wrinkles and folds.



Ajoure FINE | DEEP | SUB-Q



Performance

Hyaluronic acid is a high molecular substance composed of repeated disaccharides of N-acetyl glucosamin and glucuronic acid. Ajoure has realized a stable gel through precision cross-linking technology.

The stable stucture of hyaluronic acid gel fills the space, supports the structure, protects the cell, replenishes the volume of wrinkled skin and keeps it natural.

Safety

The active ingredient used in Ajoure is non-animal.

It is a human-adapted component, contains high-purity hyaluronic acid and naturally decomposed over time. Hyaluronic acid cross-linking gel can be corrected through hyaluronidase when a problem occurs. It is safe by providing the level of endotoxin and crosslinking agent below the detection limit through strict manufacturing process management.

Usability

Precisely designed handles and push rods keep the pressure at the time of injection evenly, enabling stable treatment. The monophasic structure is a regular and stable gel structure, and it is a specialized technology applied to Ajoure that realizes natural volume and soft injection feeling.

Pain relief


Ajoure contains Lidocaine to improve pain-related discomfort during the treatment.

FINE **Product Name** Superficial to mid dermis Injection Site **HA** Concentration Visco-elasticity Low Duration 6 - 9 months 30G*2 Packaging unit All facial wrinkles, **Injection Area** lip augmentation Syringe Volume Lidocaine Shelf Life Storage Store in 2 - 25°


* The durations are depends on age, lifestyle and the skill of a practitioner



DEEP	SUB-Q	
Mid to deep dermis	Mid to deep dermis subcutaneous layer	
24 mg / ml		
Mid	High	
9 - 18 months	12 - 24 months	
27G*2	25G*2	
Nasolabial folds, forehead, marionette lines and face lifting	Facial contouring, chin and chick augmentation	
1.1ml * 2syr		
0.3%		
24 months		
$^\circ$ C. Protect from direct sunlight and freezing		




POLYBOOST CL





- Non-allergic
- Safe, approved by FDA and CE



Features

- Stimulated tissues regenerate sub-materials such as elastin, collagen, and amino-peptides, and eventually form new tissue.
- Solubilized PCL constitutes the fixed 3D Matrix formation in the dermal layer of the skin with fine volume.
- Continuously promotes tissue proliferation in the skin during the year.
- Fully biodegrades from the human body up to 18 months.

Ingredients

- Liquid Polycaprolactone (nano-scale particles 50-60 micron) 120 mg
- Non Cross-Linked Hyaluronic Acid 20mg



Mixture : Polyboost CL 2.5cc + 2% Lidocaine 0.4cc Mix between 2 syringes using mixing tube

Combination product consisting of a polycaprolactone (PCL) power



POLYBOOST CL FILLER

PCL 120mg 2.5ml x 1 syringe



Liquid PCL 120mg/mL. Equivalent to 90 pcs of monothreads.

• Collagen and elastin production • Biodegradable medical substance, excreted to water and CO₂

Collagen production

allowing for a longer duration of effect

No. of treatments

3 times, 1 procedure/month Additional 1~2 procedures depending on patient's condition with 4~6 months interval



Dose

- Face 2.5-5ml
- Neck 1.5-3ml
- Body 2.5-10ml


Injection Technique

- Multi Injection, 0.02cc per point
- Fanning technique


POLYBOOST CL treatment photo



Treatment method



Advantages



• Deep Dermis 1.5mm

Application

- 32G4~34G4 mesoneedle
- 23G~27G Filler cannula














Met

POLYBOOST CL Injection zones

cation	Whole face
epth	Upper-dermis
ution	Polyboost CL 2.5cc +2% lidocaine 0.4cc
thod	Papular, 0.02cc - 0.03cc per injection point

cation	Crow's lines
epth	Upper-dermis
ution	Polyboost CL 0.5cc +2% lidocaine 0.1cc
thod	Papular, 0.02cc - 0.03cc per injection point

Indication	Whole face anti-aging
	1. Frown lines
	2. Under eye
	3. Cheek
	4. Nasolabial folds
	5. Marionette lines
Depth	Upper, mid dermis
Solution	Polyboost CL 5cc
	+2% lidocaine 0.5cc
	+normal saline 7.5cc
	· · · · · · · · · · · · · · · · · · ·
Method	Fanning technique with 25G cannula

body LINE SOLUTION

Daarin

Description

Description

Gain a sexy body with the new item DAARIN Body Filler, made of purified cross-linked hyaluronic acid in a 10mL pre-filled syringe.

It is the perfect solution for the natural-looking body profile you've always dreamed of.

We offer top-quality DAARIN FILL Body Filler at a very friendly price.

The body filler consists of 100% cross-linked non-animal hyaluronic acid, created using the precision cross-linking technology, thanks to which it has an instant and visible result, increases the duration of the effect and makes the procedure safe and completely eliminated from the body. In addition, DAARIN promotes quick recovery and leaves minimal marks after the procedure. It is best used for shaping the breasts, giving symmetry to the buttocks, and giving volume to skin irregularities.

Application area

Application area

Filler specially designed for volumetric soft tissue replenishment and body contouring

- Correction of the shape and volume of the breast;
- Replenishment of volume and correction of asymmetry of the buttocks;
- Correction of the asymmetry of the legs;
- Replenishment and alignment of soft tissues after volumetric liposuction;
- Elimination of irregularities on the surface of the skin caused, for example, by liposuction.
- Intimate areas

S10 | H10 Daarin) Daarin Sodium Hysiuronist Gel 10ml x 1

Micro Beads of Cross-Linked Hyaluronic Acid






DAARIN Body Filler Benefits

DAARIN Body Filler Benefits

- It provides quick and long-term effects
- It is an ideal alternative to surgical interventions
- It can avoid complications such as scarring
- It is made of purified, stabilized hyaluronic acid obtained by a patented biotechnological method.
- It does not require anesthesia as the procedure is virtually painless
- It contains anti-aging properties that can naturally radiate youthfulness to the skin.



DAARIN Body Filler Benefits

CE.ISO.MSDS OK	Long durability <mark>OK</mark>	No animal ingredients OK
Natural Looking OK	No skin test needed OK	Biodegradable, non permanent OK



Point recommended usage

DAARIN Body Filler Efficiency

A single application of **DAARIN** Body Filler provides an effect lasting 12-15 months, and with delicate care up to 2 years. The gel, which is biologically compatible with the human body, gradually dissolves in the process of metabolism. To ensure the effect for a longer period and to maintain the aesthetic result, it is possible to repeat the procedure.

How long until the results appear?

The skin's volume appears restored almost immediately, with optimal results a day or two after the treatment.

FORMULATION

DAARIN BODY FILLER – 10mg/mL HA Each mL consists of 10mg of concentrated and purified hyaluronic acid. The gel is devoid of any animal toxins that may cause allergic reactions because it was processed through the innovative HENM cross-linking biotechnology method.

PACKAGING

PACKAGING AND SPECIFICATIONS

1 syringe × 10 ml per pack --protocol: Subcutaneous and intradermal injection Needle size: 30G Shelf-life: The product must not be used past its expiration date. Please check the package for reference. Storage: Stored at room temperature (2°C-25°C) and kept away from direct sunlight and freezing

Country Of Origin: Republic Of Korea





FILLICIA MICROSPHERE FILLER

FILLICIA




FILLICIA 200, 1000 | FILLICIA SIGMA 200

FILLICIA 200mg,1000mg / 1 vial FILLICIA SIGMA200mg / 1 vial

	FILLICIA 200, 1000	FILLICIA SIGMA 200 PLGA+HA FILLICIA	
Product	FILLICA PODDINI TOTOR PLA + SORINA DOTOR PLA + SORINA DOTOR PLA + SORINA PLA + HA	SIGMA 200 200mg / 1 Vial 350mg PLCA - 50mg HA PLGA + HA	
Main ingredients	H_3C		
	Poly(D,L-lactic acid),(PLA)	Poly(D,L-lactic acid-co-Glycolic acid),(PLGA)	
	200mg / vial(box), 150mg PLA + 50mg HA		
Dosage & volume	1000mg / vial(box), 750mg PLA + 250mg HA	200mg / vial(box), 150mg PLA + 50mg HA	
Layer/Effect	Wrinkle improvement to Subcutaneous, dermal layer		
Particle Distribution (Average)	Average 30pm		
Storage	Store at room temperature below 30°C, do not freeze		
Duaration	12 months	6months	

FILLICIA FILLICIA 200,1000 | FILLICIA SIGMA 200



Proprietary technology that can mass - produce microspheres of uniform size from nano to micro.




What is Microsphere?

- Small spherical fine particle. It is a key ingredient of 4th generation filler as collagen stimulator in body.
- In the case of HA fillers have a simple filling effect, but powder fillers induce skin tissue regeneration to remove wrinkles naturally.


What is a biodegradable substance?

- Hydrolyzed in body and used as major ingredient in cosmetics, tissue engineering device and depot formula.
- There are various types as PLLA, PDO and PCL used for a long time and they have various physical properties depending on composition and molecule size.




Spherical Microparticles


- Particle size can be freely adjusted according processing size of the membrane
- Uniform production with various materials such as PLA, PCL, and PLGA



Porous microparticles

- Production of fine particles with many pores on the surface
- Faster collagen stimulation and biodegradation





Effect

Continuously promotes tissue proliferation in the skin during the year. Effective in treatment of scars, stretch marks (striae), keloid scars.







nprovina skin turaor, remove: ne wrinkles, moisturizes, return lost volumes, long lasting lifting effect, scars removal, pores sub-materials such as elast

The production of cell and collager restores lost volume at week 3-4

Ingredients



Mixture: Non cross-linked HA 2ml + Sodium Chloride (Sterile Water) 6ml + Lidocaine 2cc Or Sodium Chloride (Sterile Water) 8ml + Lidocaine 2cc. Dilution time over 30mi

Possible correction areas



Features

- Easily injectable, Biocompatible.
- Fully biodegrades from human body up to 24months.
- Spherical shapes 50-60 micron in size.
- Should be mixed with liquid diluent before the procedure.

No. of treatments

3 times, 1 procedure/month





Dose

- 1 to 5 vials per procedure.
- Face, forehead, nasolabial folds, marionette lines, cheeks 2.5-5ml
- Neck and decolette- 1.5-3ml
- Body 2.5-10ml

Injection Technique

• Fanning technique

Shelf period after opening

- Must be used immediately after dilution.
- No re-use.

Application

• Cannula 23-25G, SubQ

Long-lasting effect

• Up to 24 months

Cross-Linked Hyaluronic acid

Zentia SPECIAL | PREMIUM



Performance

Hyaluronic acid is a high molecular substance composed of repeated disaccharides of N-acetyl glucosamin and glucuronic acid. **Zentia** has realized a stable gel through precision cross-linking technology. The stable stucture of hyaluronic acid gel fills the space, supports the structure, protects the cell, replenishes the volume of wrinkled skin and keeps it natural.

Safety

The active ingredient used in **Zentia** is non-animal. It is a human-adapted component, contains high-purity hyaluronic acid and naturally decomposed over time. Hyaluronic acid cross-linking gel can be corrected through hyaluronidase when a problem occurs. It is safe by providing the level of endotoxin and crosslinking agent below the detection limit through strict manufacturing process management.

Usability

Precisely designed handles and push rods keep the pressure at the time of injection evenly, enabling stable treatment. The monophasic structure is a regular and stable gel structure, and it is a specialized technology applied to **Zentia** that realizes natural volume and soft injection feeling.

Pain relief

Zentia contains Lidocaine to improve pain-related discomfort during the treatment.

Zentia



SPECIAL | PREMIUM

1 box contains 3 syringes needles 27G / 1.1 ml 3 syringes 1 box contains 3 syringes needles 25G / 1.1 ml 3 syringes



Cross-Linked Hyaluronic acid

Sensfill



Bronze | Gold | Platinum

1ml x 1 box contains 1syringe needles 25G,27G,30G Cross-Linked Hyaluronic acid

Why Choose Sensfill?

What is Sensfill Hyaluronic Acid Filler? Safety, Biodegradable and biocompatible material HA has a much greater capacity to retain water than ar Hydrates, regenerates skin, improves elastin and collag Reduces the appearance of fine wrinkles and returns lo Can be removed easily and perfectly.

PRODUCT INFORMATION

	Sensfill Bronze	
COMPOSITION	HA 20mg/mL	
Packaging Unit	1.0mL x 1	
Needle Type	30G x 2pcs	
Storage	2C-25C	

Product name	Stterile absorbable Hyaluronic
Intended Use	Temporary improvement of the

Sterile Medical Device/ Single Use Only/ Do not reuse

Storage Condition	Store at room temperature.	41

Please refer to Instruction for Use for more details.



Sensfill

ny other natural or syr gen production. ost contours of the fac	
Sensfill Gold	Sensfill Platinum
HA 20mg/mL	HA 20mg/mL
1.0mL x 1	1.0mL x 1
27G x 2pcs	25G x 2pcs
2C-25C	2C-25C
Acid Dermal Filler	
e facial wrinkles	
9	
void direct sunlight.	



MOISTURIZING IN ALL FORMS

AQUA DROP



SAPPIRE AQUA DROP

STERILE ABSORBABLE MOISTURIZING GEL

2.5ml X 3

What is Sodium Hyaluronate?

Sodium Hyaluronate is a natural substance.

It is present in the body wherever moisture is stored or lubrication between layers of tissue is required to eliminate friction.

It is also used to relief pain due to osteoarthritis of the knees.

Improves signs of aging	Plumps	Repairs damaged moisture barrier
Sodium hyaluronate works to replace lost moisture. This added moisture smooth skin structure by removing fine lines and Wrinkles.	Sodium hyaluronate provides structure and volume creates instantaneous plumpness in the skin.	Sodium hyaluronate is essential for restoring and maintaining. A healthy barrier to prevent transepidermal water loss.

Sappire AQUA DROP is an effective and powerful mesotherapy solution.

- Replenishment of hyaluronic acid deficiency in the skin
- Rstoration of skin elasticity
- Prevention of small wrinkles (decollete, eyes, neck)
- Improving overall skin condition

Single dose of Sappire AQUA DROP is enough to get healthy and radiant looking skin. Like hyaluronic acid, sodium hyaluronate is incredibly hydrating, but this texture helps to penetrate deeper into skin.

			QUA DROP	1	
-			AQUA	-WIL	
				H	
			T	-	
-	POINT	NING	1	1.00	
8	ED DO	ED DE	il	8	

Sappire AQUA DROP						
Ingredient	1 syringe contains 25mg of Sodium Hyaluronate					
Product capacity	2.5ml prefilled syringe					
Shelf-life	24 months from manufacturing date					
Storage Method	Store at room temperature(2°~25°C), avoid light and freezing					
Supplied Package	3 prefilled syringes (2.5ml) / pack					

Injection Guidelines

Sappire AQUA DROP is injected to a depth of 1.5 mm into the surface layers of the epidermis. Administration shall be done using a thin gauge needle ($30G \sim 32G \frac{1}{2}$ "). Course of Application : 5-7 procedures with an interval of 7-10 days.



Skin Booster Sappire PDRN

With Salmon DNA for Skin Regeneration. 5ml x 5vials

SAPPIRE PDRN



The enriched formula is indicated for the prevention and control of signs of aging, regeneration, improvement of the structure and quality of the skin. Smoothing tone and improves skin elasticity.

- The level of **PDRN** favorably perceived by the body
- Noticeable effect after the 2nd procedure
- Comfortable procedure
- Ease of Use
- Large Volume

ACTIVE INGREDIENTS

Water(Aqua), Sodium Hyaluronate, Glutathione, DNA(Salmon 1.5%), Acetyl Hexapeptide-8, Palmitoyl Pentapeptide-4

PROTOCOL

Papular injections (micro papulas) of 0.01-0.02ml subcutaneously to a depth of 1.5-2 mm, an interval of 1.5cm.

30G4 or 32G4 needle at an angle of 10-15 degrees; an injector - at a right angle. by the body ure

Mesotherapy


Sappire PDRN 2,5ml + Saline 3 ml

COURSE OF APPLICATION

3-5 procedures with an interval of 10-14 days

SKIN MESOTHERAPY

SAPPIRE S-TOX



Sappire S-TOX contains 16 ingredients necessary for cell growth factor and promotion of collagen and elastin, reducing wrinkles and maintaining elasticity

- Promoting Collagen
- Elastin Regeneration
- Removes Active oxygen
- Prevents skin aging
- Anti-pigmentation and whitening
- Antibacterial and moisturizing components

ACTIVE INGREDIENTS

Water, EGF, FGF, IGF, Acetyl Hexapeptide-8, Nicotinoyl Tripeptide-1, Naturotics Plus, MultiEx BSASM Plus, Vitamin C, B2, B3, B12, Adenosine, L-Carnitine, Palmitoyl Pentapeptide-4, Palmitoyl Tetrapeptide-7, Hydroxyethylcellulose, Dipeptide diaminobutyroyl benzylamide, Arginine, Arbutin, 1,2-Hexanediol

PROTOCOL

Do not use more than 0.2 cc of Sappire S-Tox ampoule at every (one) point. The needle depth must be adjusted according to the skin thickness and applicable site. Diagonal 0.2 to less than 1mm.

SAPPIRE S-TOX

Complex of Growth Factors and Vitamins



16 Cell Growth Factors & Antioxidant vitamins

Sappire S-TOX skin booster with 16 Cell Growth Factors & Antioxidant vitamins 5ml x 5 vials | 10ml x 2 vials



FAT DISSOLVER

SAPPIRE SLIM



By blocking substances that are transmitted to the nerves to relieve pain. It regenerates the elasticity of the skin that wrinkles when the fat layer falls off.

- No pain at the injection site
- Rapid effect of lipolysis (Fast effects)

ACTIVE INGREDIENTS

Water, Sodium Deoxycholate, Phosphatidylcholine, Carnitine, Acetyl Hexapeptide-8, Palmitoyl Pentapeptide-4, Palmitoyl Tetrapeptide-7

PROTOCOL

1 point recommended usage Abdomen/waist (thicker fat layer) : 0.15ml ~ 0.3ml or less Thighs or hip : 0.1ml ~ 0.15ml or less Armpit (thinner fat layer) : 0.05 ~ 0.1ml or less

In case of abdomen/waist, 0.15~03.cc on a spot into the fat layer and move to next half an inch or a centimeter distant.

COURSE OF APPLICATION

Repeat this treament 2~3 times(Once every 15 days) | 10ml x 5

SAPPIRE **SLIM**

Premium Slimming Solution



Sappire Slim Premium PPC Solution

Sappire SLIM Effect of the 4 mixing technologies

10ml x 5 vials

• Prevents wrinkles and aging caused by the inclusion of hexapeptide ingredients

DISPOSABLE MEDICAL DEVICE







Safe Aesthetic PDO PCL/PLLA Innovative Rejuvenate Effective

SAPPIRE LIFT



Advantages of Sappire Lift Mesothreads

- Molding Cog technology allows the best fixation of sagging tissues
- High strength and tensile
- Least invasiveness
- Biodegradable material PDO(polydioxanone), PCL(polycaprolactone), PLLA(poly L-Lactic acid)
- All-season use

Indications for Use

- Age changes
- Correction of the upper, middle, lower third of the face. Full Face treatments
- Gravitational ptosis
- Facial contour disorders
- Sagging skin of the face, neck, decollete
- Body lifting chest, buttock



Duration of Effect

Material	Duration
PDO	6~8 months
PCL, PLLA	16~20 months
HA+PDO	18-24 months

SAPPIRE LIFT MONO

PDO + I PCL + I PLLA +

20 pcs/pouch (2 blisters x 10 pcs)



Gauge	Needle Length	USP	Thread Length	Back Cut Needle	U Cannula
38mm	38mm		50mm	+ + +	
25G	60mm	4-0	75mm	+ +	
	90mm		140mm	+ +	
	38mm		50mm	+ + +	
	50mm		65mm	+ +	
26G	60mm	5-0	75mm	+ + +	
	70mm		100mm	+ +	
	90mm		140mm	+ +	
	38mm		50mm	+ + +	
27G	50mm	5-0	65mm	+ + +	
270	60mm	5-0	75mm	+ + +	
	70mm		100mm	+ +	
	25mm		30mm	+ + +	
29G	38mm	6-0	50mm	+ + +	
290	50mm	0-0	65mm	+ + +	
	60mm		75mm	+ + +	
	25mm		30mm	+ +	
30G	38mm	7-0	50mm	+ +	
	25mm		30mm	+ + +	
31G	38mm	7-0	50mm	+	

SAPPIRE LIFT FA type

ALV	Je							
	s/pouch sters x 2	pcs) (~		
Gauge	Needle Length	USP	Thread Length	Back Cut Needle	D Needle	L Need	dle	AK Needle
18G	100mm	1 Point, 0	165mm	+		+	+	+
19G	100mm	0	165mm	+	+	+	+	+
	60mm		125mm	+ +		+	+	+
21G	90mm	3-0	155mm	+		+	+	+
	100mm		165mm	+ +		+	+	
23G	60mm	4-0	125mm	+ +		+	+	
236	90mm	4-0	155mm	+ +		+	+	

360° BD (S type)

10 pcs/pouch (5 blisters x 2 pcs)	$\left \right $		-			3	
Needle	Thread	Back Cut	D	1	ΔK	W	

Gauge	Needle Length	USP	Thread Length	Back Cut Needle	D Cannula	L Cannula	AK Cannula	W Cannula
18G	100mm	1 Point, 0	165mm	+		+ +	+	+
19G	100mm	0	165mm	+	+	+ +	+	+
	60mm		125mm	+ +		+ +	+	+
21G	90mm	3-0	155mm	+		+ +	+	+
	100mm		165mm	+ +		+ +		+
23G	50mm	3-0	70mm	+		+		+

360° 4DRC

10 pcs/pouch (5 blisters x 2 pcs)	10 pcs/pouch (5 blisters x 2 pcs))()		1110	
--------------------------------------	--------------------------------------	-----	--	------	--

Gauge	Needle Length	USP	Thread Length	U Needle	L Needle	AK Needle
18G	100mm	1 point, 0	165mm		+	+
19G	100mm	0	165mm	+	+	+
	60mm		125mm		+	+
21G	90mm	3-0	155mm		+	+
	100mm		165mm		+	

SAPPIRE LIFT PDO + I PCL + I PLLA +

SCREW

20 pcs/j (2 bliste	oouch rs x 10pcs)		-	~	1-2	_
Gauge	Needle Length	USP	Thread Length	Back Cut Needle	U needle	

	Lengen		Lengen	necure	
	38mm		50mm	+ + +	
26G	60mm	5-0	75mm	+ + +	
	90mm		140mm	+ +	
	38mm		50mm	+ +	
27G	50mm	5-0	65mm	+ +	
	60mm		75mm	+ +	
29G	25mm	6-0	30mm	+ +	+
290	38mm	0-0	50mm	+ + +	+
30G	38mm	7-0	50mm	+	+

DOUBLE SCREW

20 pcs/pouch (2 blisters x 10pcs)

Gauge	Needle Length	USP	Thread Length	Back Cut Needle
	38mm		50mm	+ +
250	50mm	5-0	70mm	+ +
25G	60mm	5-0	90mm	+ +
	90mm		150mm	+ +
26G	38mm	5-0	50mm	+ + +
	60mm		75mm	+ + +
	90mm		140mm	+ + +
	38mm		50mm	+ +
27G	50mm	5-0	65mm	+ +
	60mm		75mm	+ +
	25mm		30mm	+ +
29G	38mm	6-0	50mm	+ +
200	25mm	7.0	30mm	+ +
30G	38mm	7-0	50mm	+ +

SAPPIRE LIFT COG SCREW

10 pcs/pouch (5 blisters x 2 pcs)

Gauge	Needle Length	USP	Thread Length	Back Cut Needle
21G	100mm	3-0	145mm	+
	38mm	3-0	50mm	+
23G	60mm		75mm	+
	90mm		140mm	+
	38mm		50mm	+
25G	G 60mm 4-0	75mm	+	
	90mm		140mm	+

NOSE A-TYPE

10 pcs/pouch (5 blisters x 2 pcs)

Gauge	Needle Length	USP	Thread Length	U Needle	L Needle
19G	38mm	1 point	50mm	+	
21G	60mm	0	75mm		+

PDO + I PCL +

PDO + I PCL +

B-type 10 pcs/pouch (5 blisters x 2 pcs)

Gauge	Needle Length	USP	Thread Length	Back Cut Needle	L Cannula	W Cannula
18G	100mm	2-0	180mm		+	+
19G	100mm	2-0	180mm		+	+
21G	60mm	2-0	125mm	+ +	+	+
216	100mm	2-0	165mm	+ +	+	+
	60mm		125mm	+ +	+	+
23G	90mm	3-0	155mm	+ +	+	+
	100mm		155mm	+ +	+	+

SAPPIRE LIFT	
MOLDING COG	

PDO + I PCL +

10 pcs/pouch (5 blisters x 2 pcs)


TULIP 1	
TULIP 2	
VENUS 1	
VENUS 2	
THOR 1	
EMBO	

Gauge	Needle Length	USP	Thread Length	L Cannula	AK Cannula	W Cannula	U Cannula
100	100mm	2.0	165mm	+	+		+
18G	100mm	2-0	180mm	+		+	
19G	100mm	1-0	165mm	+	+		+
190	100mm		180mm	+		+	
210	60mm	LICDO	125mm	+ +	+	+	
21G	90mm	USP2	155mm	+ +	+	+	
23G	60mm	USP2	90mm	+		+	
230	90mm	USPZ	155mm	+		+	

360° VENUS 2	*
10 pcs/pouch (5 blisters x 2 pcs)	

Gauge	Needle Length	USP	Thread Length	U Cannula	L Cannula	AK Cannula
18G	100mm	2-0	165mm			+

SAPPIRE LIFT DUAL MOLDING COG	PDO + I PCL +
10 pcs/pouch (5 blisters x 2 pcs)	
TULIP 2	******





Gauge	Needle Length	USP	Thread Length	Back Cut (S)	
100	110		300mm	+ +	
18G	110mm	USP1, 2		400mm	
	110mm		300mm		
19G	110mm	400mm	+ +		
	130mm		400mm		
21G	120mm	USP0, 1, 2	300mm	+ +	
210	130mm		400mm		

SAPPIRE LIFT TRIPLE SCREW

PDO + I PCL + I PLLA +

PDO + I PCL + I PLLA +

and the second

20 pcs/pouch (2 blisters x 10 pcs)

Gauge	Needle Length	USP	Thread Length	Back Cut Needle
	36mm	7.0	50mm	+ + +
25G	38mm	7-0	90mm	+ + +

BOUQUE

10 pcs/pouch (5 blisters x 2 pcs)

Gauge	Needle Length	USP	Thread Length	Back Cut Needle
23G	50mm	6-0	70mm	+ +

SAPPIRE LIFT

MESH

10 pcs/pouch (5 blister x 2pcs)

Gauge	Needle Length	USP	Thread Length	L Cannula	D Cannula
40.0	60mm	5.0	60mm	+ +	
19G	100mm	5-0	160mm	+ +	
	38mm		40mm	+ +	
21G	50mm	6-0	80mm		+ +
210	60mm	0-0	80mm	+ +	
	100mm		160mm	+ +	
	38mm		40mm	+ +	
23G	50mm	3-0	70mm		+ +
	38mm		50mm	+ +	
26G	50mm	5-0	90mm	+ +	
	90mm		150mm	+ +	

SOFT FILA

12 pcs/pouch (3 blister x 4pcs)

Gauge	Needle Length	USP	Thread Length	Back Cut Needle	L Needle
23G	50mm	9-0	60mm		+
27G	38mm	11-0	50mm	+	

HARMONY

HARMONY MONO

HA+PDO +

20 pcs/pouch (2 blisters x 10 pcs)

Gauge Needle Length USP Thread Length Back Cut Needle U Cannula 38mm						
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Gauge		USP			U Cannula
30mm 140mm 90mm 140mm 38mm 50mm 50mm 65mm 60mm 5-0 70mm 100mm 90mm 140mm 90mm 100mm 90mm 140mm 90mm 100mm 90mm 140mm 90mm 50mm 70mm 75mm 100mm + 25mm 65mm 50mm + 50mm + 50mm + 50mm + 60mm 75mm 60mm 75mm		38mm		50mm		
38mm 50mm 65mm 65mm 50mm 65mm 65mm	25G	60mm	4-0	75mm	+	
50mm 65mm 65mm 45mm 45mm <td< td=""><td></td><td>90mm</td><td></td><td>140mm</td><td></td><td></td></td<>		90mm		140mm		
266 60mm 5-0 75mm + 70mm 100mm - - 90mm 140mm - - 38mm - 65mm + - 50mm - 65mm + - 60mm - 75mm + - 70mm - 100mm + - 70mm - 100mm + + 25mm - 65mm + + 38mm - - 50mm + 50mm - 65mm + + 60mm - - - + 50mm - - - + 50mm - - - + + 50mm - - - - + + 50mm - - - - - - 50mm - -		38mm		50mm		
100mm 100mm 90mm 140mm 90mm 140mm 38mm 50mm 50mm 65mm 60mm 75mm 70mm 100mm 70mm 75mm 70mm 100mm 70mm 50mm 70mm 50mm 70mm 100mm 70mm 100mm 100mm + 100mm +		50mm		65mm		
90mm 140mm	26G	60mm	5-0	75mm	+	
38mm 50mm 65mm -		70mm		100mm		
50mm 65mm + 65mm + 60mm 75mm 100mm + - 70mm 100mm + + + 25mm 30mm + + + 38mm 60mm - + + 50mm 65mm + + + 60mm 75mm + + + 316 25mm 7-0 30mm + +		90mm		140mm		
276 60mm 5-0 75mm + 70mm 100mm + + 25mm 30mm + + 296 38mm 6-0 50mm + 50mm 60mm 75mm + 60mm 75mm + + 316 25mm 7-0 30mm +		38mm		50mm		
60mm 75mm 70mm 100mm 25mm 30mm 296 38mm 50mm 6-0 60mm 75mm 38mm 6-0 50mm 75mm 60mm 75mm 316 25mm	270	50mm	FO	65mm		
25mm 30mm + 38mm 50mm + 50mm 65mm + 60mm 75mm - 316 25mm -	276	60mm	5-0	75mm	T T	
296 38mm 50mm 6-0 50mm 65mm + + 60mm 75mm - - - 316 25mm 7-0 30mm +		70mm		100mm		
296 50mm 6-0 50mm + 50mm 65mm + - 60mm 75mm - - 316 25mm 7-0 30mm +		25mm		30mm		+
50mm 65mm 60mm 75mm 316 25mm	200	38mm	6.0	50mm		+
31G 25mm 7-0 30mm +	290	50mm	0-0	65mm	+	
31G 7-0 +		60mm		75mm		
	240	25mm	7.0	30mm		
	516	38mm	7-0	50mm	+	



38mm



50mm

7-0

HARMONY SCREW

30G

HA+PDO +

10 pcs/pouch (5 blisters x 2 pcs)

+

Gauge	Needle Length	USP	Thread Length	Back Cut Needle	U Cannula
	38mm		50mm		
26G	60mm	5-0	5-0 75mm		
	90mm		140mm		
	38mm		50mm		
27G	50mm	5-0	65mm	+	
	60mm		75mm		
29G	25mm	6-0	30mm	+	+
290	38mm	0-0	50mm	Ŧ	+
30G	38mm	7-0	50mm		+

COG SCREW

10 pcs/pouch (5 blisters x 2 pcs)



Gauge	Needle Length	USP	Thread Length	Back Cut Cannula	
	38mm		50mm		
23G	60mm	3-0	75mm	+	
	90mm		140mm		
	38mm		50mm		
25G	60mm	4-0 75mm		+	
	90mm		140mm		

WORLD'S FIRST HA+PDO MESOTHREAD

HARMONY



Sterile Single Use Polydioxanone suture coated with non cross-linked HA

Disposable Medical Device Non pyrogenic Heavy metal free

Harmony HA+PDO

The New Harmony of PDO Thread & Non-Crosslinked Hyaluronic Acid INCREASE of Tensile Strength : more than 30% INCREASE of Duration : 3 times, Up to 18 months. The thread is a scaffold that promotes fibroblast activity. Help to trigger collagen neogenesis in a soft tissue. Focus of HA Lift is giving efficacy of HA therapy by simple thread implantation. Unlike liquid type injection, the Harmony thread can be easily implanted in a correct depth with accurate amount.

Hyaluronic acid(HA)

Used as an ingredient in skin care products due to its "unique capacity in retaining water." HA is therefore a key skin care ingredient when it comes to reinforcing our skin's health, as well as giving it a plump, youthful texture and preventing cutaneous aging.

PDO : most safety and certified material. Helps rejuvenate and promote skin's tightening.

HARMONY

HA+PDO +

B-type

10 pcs/pouch (5 blisters x 2 pcs)

Gauge	Needle Length	USP	Thread Length	Back Cut Cannula
210	100mm	2.0	125mm	
21G	100mm	2-0	165mm	
	60mm		125mm	+
21G	21G 90mm 3-		155mm	
	100mm		165mm	

NOSE A-TYPE

10 pcs/pouch (5 blisters x 2 pcs)

Gauge	Needle Length	USP	Thread Length	U Cannula	L Cannula
19G	38mm	1 point	50mm	+	+
21G	60mm	0	75mm	+	+

HARMONY FA type

10 pcs/pouch (5 blisters x 2 pcs)

Gauge	Needle Length	USP	Thread Length	Back Cut Needle	D Cannula	L Cannula	AK Cannula
18G	100mm	1 Point, 0	165mm			+	+
19G	100mm	0	165mm		+	+	+
	60mm		125mm	+		+	+
21G	90mm	3-0	155mm			+	+
	100mm		165mm	+		+	
23G	60mm	4-0	125mm	+		+	
236	90mm	4-0	155mm	+		+	

HARMONY

HA+PDO +

HA+PDO +

360° BD (S type)

10 pcs/pouch (5 blisters x 2 pcs)

Gauge	Needle Length	USP	Thread Length	U Cannula	L Cannula	AK Cannula
18G	100mm	1 point, 0	165mm		+	+
19G	100mm	0	165mm	+	+	+
	60mm		125mm		+	+
21G	90mm	3-0	155mm		+	+
	100mm		165mm		+	

360° 4DRC

10 pcs/pouch (5 blisters x 2 pcs)

Gauge	Needle Length	USP	Thread Length	U Cannula	L Cannula	AK Cannula
18G	100mm	1 point, 0	165mm		+	+
19G	100mm	0	165mm	+	+	+
	60mm		125mm		+	+
21G	90mm	3-0	155mm		+	+
	100mm		165mm		+	

HARMONY

MOLDING COG 10 pcs/pouch (5 blisters x 2 pcs)

Gauge	Needle Length	USP	Thread Length	U Cannula	L Cannula	AK Cannula
18G	100mm	1 point	165mm		+	+
19G	100mm	0	165mm	+	+	+
21G	60mm	0	125mm		+	+
21G	90mm	0	155mm	+	+	+

*-

360° VENUS 2

10 pcs/pouch (5 blisters x 2

			· ·			
iauge	Needle Length	USP	Thread Length	U Cannula	L Cannula	AK Cannula

	, Y	
		1
pcs)		

Gauge	Needle Length	USP	Thread Length	U Cannula	L Cannula	AK Cannula
18G	100mm	2-0	165mm			+

DK Filler Cannula

Ultra-Thin Walled Filler Cannula with Punching Needle



Cannu Gauge	ula size Length	Model	Punching Needle size			
18G	70	YCU018070	17G25			
22G	50	YCU022050	20G25			
220	70	YCU022070	21G25			
23G	50	YCU023050	23G25			
230	70	YCU023070	21G25			
	40	YCU025038	23G25			
25G	50	YCU025050	23G25			
	70	YCU025070	23G25			

DK DK Ultra Thin Meso needles

Ultra Thin Meso Needles for various Aesthetic procedures

50pcs | 1 box





Indications

Gauge	Color	Outer Diameter	Inner Diameter	Length
30G	Yellow	0.31±0.01	0.195	4, 6, 13
32G	Pink	0.24±0.005	0.142	4, 6, 8
33G	33G Light Purple		0.132	4, 6
34G	Aqua Marine	0.18±0.005	0.115	4, 6

DISPOSABLES

- LESS PAIN
- LESS HEMATOMA
- WIDER INNER DIAMETER
- LESS RESISTANCE
- SHORTER DOWNTIME AFTER PROCEDURE

KOREAN MEDICINE'S TRADITION AND EXCELLENCE TO THE WORLD

Sterile Acupuncture Needle For Single Use Disposable Sterile Medical Device Spring Handle





BADIM Acupuncture Needles

10,000 pcs 10 pcs 1,000 pcs

Note T 0.25 0.30 0.35

THE ONLY BADIM'S FEATURES

MATERIALS Excellent tip process High quality materials

> MANUFACTURING SYSTEM Innovative automatic assemble system Hygienic automatic packaging system

SAFE STERILIZING SYSTEM Disinfection and sterilization Bar code & PDA realization process system





T T 7mn	n 8mm			
Note	Handle size : 20mm			
Sterilization Method	Sterilized EO-GAS			
Quantity	10pcs without tube			
Package Unit	10pcs without tube			
Package Type	Blister type			
Name of goods	Disposable Hand Acupuncture Needles			
Model	Markeu Separatery			

0.16



01


General Needle Plastick Package



Tear open plastick package.



Insert needle into guide tube.




Needle insertion on the appropriate acupuncture point.

Model	Marked Separately	
Name of goods	Disposable Acupuncture Needles	
Package Type	Plastic type	
Package Unit	10pcs	
Quantity	1,000pcs, 10,000pcs	
Sterilization Method	Sterilized G-Ray	
Note	Handle size : 20mm	

15mm	25mm	30mm	40mm	50mm	60mm









Temporarily Blocks Pain signals along nerves.

[Per 1g contains] Main Ingredient: Lidocaine(KP)......105.6mg [Description] White cream [Dosage & Administration] Apply 0.25-0.66g (23-62mg as lidocaine) to the application site 15 to 20 minutes prior to the procedure for adults. Wrap in a bandage, to maximize effect. Do not exceed 2g (184mg as lidocaine) in 24 hours. [Storage] Store in airtight container at room temperature (1-30°C) [Packaging type] 500g/jar [Shelf Life] 36 months from date of manufacture

Application Area





Surgery

Dermatology



Aesthetic



Tattoo



Semi-permanent